

TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION

Division of Water Resources MAR 1 6 2017 William R. Snodgrass Tennessee Tower, 312 Rosa L. Parks Avenue, 11th Floor, Nashville, Tennessee 37243 1-888-891-8332 (TDEC)

Application for Aquatic Resource Alteration Permit (ARAP) & State §401 Water Quality Permit

OFFICIAL STATE USE ONLY Site #:	113	228	Permi	t#: NR 703	3,052	
Section 1. Applicant Information (individual res	ponsible for site	e, signs certifica	ition below)			
Applicant Name: Mr. Eric Moseley						
Company: Shady Glen, LLC			Signatory's Title or Position: Owner			
Mailing Address: 405 Montbrook Lane			City: Knoxville		State: TN	Zip: 37919
Phone: (865) 539-1112 Fax:			E-mail: ericmos	eley@bellsou	ıth.net	1
Section 2. Alternate Contact/Consultant Inform	nation (a consul	ltant is not requ	ired)			
Alternate Contact Name:						
Company:			Title or Position:			
Mailing Address:			City:		State:	Zip:
Phone:	Fax:		E-mail:			
Section 3. Fee (check appropriate box and submit	requisite fee wi	ith application)				
■ No Fee Submitted ■ Fee	Submitted with	1 Application	Amou	ınt Submitted:	0	
Current fee schedules for Aquatic Resource Altera http://www.tn.gov/environment/permits/arap.shtm	ttion Permit pro l or by calling (cessing may be 615) 532-0625.	found at the Divisi Make checks payal	on of Water Resor ble to "Treasurer,	irces webpage State of Tenni	at essee".
Section 4. Project Details (fill in information and	d check appropr	riate boxes)				
Site or Project Name: Shady Glen Subc	livision		Nearest City, To	wn or Major Land	mark: Knox	ville
Street Address or Location: 12616 S. No	rthshore	Drive, Kn	oxville, TN	37922		
County(ies): Knox		MS4 Jurisdict	tion: Knoxville	Latitude (dd.ddd	tude (dd.dddd): 35.8254	
KIIOX			Longitude (dd.dddd): -84.1700		0	
Resource Proposed for Alteration:	□ We	etland	Reservoir			
Name of Water Resource: Holder Branch						
Brief Project Description (a more detailed descript	-	under Section 8)):			
Sediment removal for stream removal	ediation					
Does the proposed activity require approval from to government agency? Yes No	he U.S. Army C	Corps of Engine	ers, the Tennessee	Valley Authority,	or any other fo	ederal, state, or local
If Yes, provide the permit reference numbers:	-					
Is the proposed activity associated with a larger co	-	•				
If Yes, submit site plans and identify the location a						? Yes No
If applicable, indicate any other federal, state, or lot the past (i.e. construction general permit coverage	ocal permit authorand/or other AR	orizations that tl RAPs):	he overall project s	ite (common plan	of developme	nt) has obtained in
TNCGP TNQ050081						
Section 5. Project Schedule (fill in information an	nd check approp	oriate boxes)				
Start date: June 2015 Estimated end date:						
Is any portion of the activity complete now?	_		he extent of the co	_		
Site grading is ongoing. On a portion of the site the construction of roads, stormwater control facilities and utilities has been completed and house construction has begun. Elsewhere on the site, construction of roads, stormwater control facilities and utilities is ongoing.						

Application for Aquatic Resource Alteration Permit (ARAP) & State §401 Water Quality Permit

The required information in Sections 6-11 must be submitted on a separate sheet(s) and submitted in the same numbered format as presented below. If any question in not applicable, state the reason why it is not applicable.

Section	on 6. Project Description		ched				
6.1	A narrative description of the scope of the project	Yes	No D				
6.2	USGS topographic map indicating the exact location of the project (can be a photographic copy)	•					
6.3	Photographs of the resource(s) proposed for alteration with location description (photo locations should be noted on map)	0					
6.4	A narrative description of the existing stream and/or wetland characteristics including, but not limited to, dimensions (e.g., depth, length, average width), substrate and riparian vegetation	▣					
6.5	A narrative description of the proposed stream and/or wetland characteristics including, but not limited to, dimensions (e.g., depth, length, average width), substrate and riparian vegetation	•					
6.6	In the case of wetlands, include a wetland delineation with delineation forms and site map denoting location of data points						
6.7	A copy of all hydrologic or jurisdictional determination documents issued for water resources on the project site	▣					
Section	on 7. Project Rationale	Atta Yes	ched No				
Descr avoid	ibe the need for the proposed activity, including, but not limited to, the purpose, alternatives considered, and what will be done to or minimize impacts to streams or wetlands.	i es					
Section	n 8. Technical Information	Atta Yes	ched No				
8.1	Detailed plans, specifications, blueprints, or legible sketches of present site conditions and the proposed activity. Plans must be 8.5.x 11 inches. Additional larger plans may also be submitted to aid in application review. The detailed plans should be superimposed on existing and new conditions (e.g., stream cross sections where road crossings are proposed)	•					
8.2	For both the proposed activity and compensatory mitigation, provide a discussion regarding the sequencing of events and construction methods	0					
8.3	Depiction and narrative on the location and type of erosion prevention and sediment control (EPSC) measures for the proposed alterations	•					
Section	n 9. Water Resources Degradation (degree of proposed impact) Note that in most cases, activities that exceed the scope of the Citions are considered greater than de minimis degradation to water quality.	General F	ermit'				
My ac	tivity, as proposed:						
a	. I Will not cause measurable degradation to water quality						
b	. Will only cause de minimis degradation to water quality						
c	Will cause more than de minimis degradation to water quality (Complete additional sections 9-11)						
d	. Unsure/need more information						
Tenne	For information and guidance on the definition of de minimis and degradation, refer to the Antidegradation Statement in Chapter 0400-40-0306 of the Tennessee Water Quality Criteria Rule: https://www.tn.gov/sos/rules/0400/0400-40/0400-40-03.20131216.pdf . For more information on specifics on what General Permits can cover, refer to the Natural Resources Unit webpage at http://www.tn.gov/environment/permits/arap.shtml						
If you	checked "c." above in Section 9, complete the following 2 sections, 10-11.						
Sectio	n 10. Detailed Alternative Analysis	Atta Yes	ched No				
10.1	Analyze all reasonable alternatives and describe the level of degradation caused by each of the feasible alternatives						
10.2	Discuss the social and economic consequences of each alternative						
10.3	Demonstrate that the degradation associated with the preferred alternative will not violate water quality criteria for uses designated in the receiving waters, and is necessary to accommodate important economic and social development in the area						

CN-1091 (Rev. 1-14) (Page 2 of 3) RDAs 1017, 2970, 2971

Application for Aquatic Resource Alteration Permit (ARAP) & State §401 Water Quality Permit

Section	n 11. Compensatory Mitig	ation			Atta Yes	ched No
П.1	1.1 A detailed discussion of the proposed compensatory mitigation					
Describe how the compensatory mitigation would result in no net loss of resource value						
Provide a detailed monitoring plan for the compensatory mitigation site						
Describe the long-term protection measures for the compensatory mitigation site (e.g., deed restrictions, conservation easement)						0
Gertifi	cation and Signature					
In app	lication submitted by a corp	oration must be signed by a principal	executive officer; from a partnership or pro	prietorship, by the parts	ner or	
flicer, Leert nform alse in	ranking elected official, or of the state of the post of the state of the post of the state of the post of the state of th	other duly authorized employee. This document and all attachments we owledge and belief, true, accurate, and assibility of fine and imprisonment.	executive officer; from a partnership or pro- ency or facility, the application must be sig- were prepared by me, or under my direction and complete. I am aware that there are signs specified in Tennessee Code Annotated	ned by either a princip	al execu	
officer. I certification of the control of the cont	ranking elected official, or of the state of	other duly authorized employee. This document and all attachments we owledge and belief, true, accurate, and assibility of fine and imprisonment.	ency or facility, the application must be signered by me, or under my direction of complete. Lam gware that there are signed	ned by either a princip	al execu submitta ubmitti (), this	

Submitting the form and obtaining more information. Note that this form must be signed by the principal executive officer, partner or proprietor, or a ranking elected official in the case of a municipality; for details see Certification and Signature statement above. For more information, contact your local EFO at the toll-free number 1-888-891-8332 (TDEC). Submit the completed ARAP Application form (keep a copy for your records) to the appropriate EFO for the county(ies) where the ARAP activity is located, addressed to Attention: ARAP Processing. You may also electronically submit the complete application and all associated attachments (e.g., maps, wetland delineations and narrative portions) to water.permits@tn.gov.

EFO	Street Address	Zip Code	EFO	Street Address	Zip Code
Memphis	8383 Wolf Lake Drive, Bartlett	38133-4119	Cookeville	1221 South Willow Ave.	38506
Jackson	1625 Hollywood Drive	38305-4316	Chattanooga	540 McCallie Avenue STE 550	37402-2013
Nashville	711 R S Gass Boulevard	37243	Knoxville	3711 Middlebrook Pike	37921
Columbia	1421 Hampshire Pike	38401	Johnson City	2305 Silverdale Road	37601

Jackson	Nashville	Cookeville	Knoxville	Johnson City
S DECON WEATEN HENRY	HOUSTON DOGSON 5	COMPANY COMPANY CON AND AND AND AND AND AND AND AND AND AN	SCOTT CHESEL CAROLING	Course Course
DIEM DIESON CHMOLE &	THE PARTY OF THE P	CENALE WHITE CLAMERIAN	HOME STOR	coos
TIPTON DIRECTER	PERSON MALEY MEETONG	The state of the s	FIGURE BOTH	
DELRY PARTIE BOURT HOPON			POLK .	
Memphis	Columbia	Chattanoo	ga	

	OFFICIAL STATE US	E ONLY				
į	Received Date: 3/16/17	Permit Number: NR1703, 052	Reviewer:	L-TY	Field Office:	F.V
ı	Fec amount paid:	T & E Aquatic Flora and Fauna:		Impaired Receiving Stream:	Application Review	r.
ļ	Date:				Deficient D	ate:
	Check #:	Exceptional TN Water:			Complete Da	ale; ::

SHADY GLEN SUBDIVISION

12616 S. Northshore Drive Knoxville, TN

Aquatic Resource Alteration Permit (ARAP)

Submitted to

Tennessee Department of Environment and Conservation

Submitted for

Shady Glen, LLC

Mr. Eric Moseley 405 Montbrook Lane Knoxville, TN 37919

Date

March 15, 2017

FMA Project No. 330.007

Submitted By:



Section 6: Project Description

- 6.1 The owner of Shady Glen Subdivision at 12616 S. Northshore Drive is requesting coverage under the General ARAP for Sediment Removal and Stream Remediation. Construction activities will include removal of sediment that has discharged from the site, appropriate erosion and sediment control measures on-site, and the rehabilitation of the affected portions of Holder Branch. The stream banks, which consist of grass and brush, will be returned to their original conditions.
- 6.2 Reference Attachment 1 for USGS Quadrangle Map.
- 6.3 Reference Attachment 2 for photos of the project site.
- 6.4 The existing stream bed is approximately 10 feet wide where the proposed construction will take place. The average depth of flow in the stream is approximately 3-5 inches depending on the time of year and the recent rainfall history. The vegetation along the banks of the stream consists of grass, brush and light woods. The stream bed consists of natural earth.
- As a result of the events noted in Section 7.1 and construction activities for the Shady Glen Subdivision, sediment has been discharged into Holder Branch. The intention of the proposed work is to remove the sediment and return the stream to the conditions described in Section 6.4.
- 6.6 Not Applicable.
- 6.7 Reference Attachment 3 for the Hydrological Determination Report.

Section 7: Project Rationale

7.1 The proposed activity within the limits of Holder Branch is necessary to remove the sediment in and around the creek located on the site and return it to its original state. The sediment washed into the area of the creek as a result of a major storm event that occurred on November 30, 2016. The precipitation for this rain event was between 5 and 7 inches. Subsequent rain events and continued construction activities have also hindered EPSC maintenance. This ARAP application for maintenance and remediation is intended to restore the stream to its original condition.

Section 8: Technical Information

8.1 See Attachment 4 for project details. Plans for the overall development, including EPSC plans, have been included in the ARAP submittal.

8.2 Sequence of events:

- 1. Contractor shall ensure that all on-site erosion and sediment control measures are installed and maintained per the TDEC Erosion Prevention & Sediment Control Handbook and the design plans.
- 2. Contractor shall install coffer dams upstream and downstream of the area impacted by sediment discharge.
- 3. Contractor shall install pump above upstream coffer dam to bypass clean water around the area impacted by sediment.
- 4. Contractor shall install pump between the two coffer dams to remove sediment-filled water from the stream. Contractor shall install pump discharge line with a filter bag to remove sediment before the water is discharged from the pump line.
- 5. Once water has been removed from impacted area, contractor shall apply temporary and permanent stream stabilization devices per TDEC specifications.
- 6. Monitor stabilization per TDEC time intervals and repair as needed until permanent stabilization is reached.
- 7. Removal of any temporary erosion control devices.

Contractor shall be responsible for selected construction method in accordance with TDEC specifications.

8.3 Erosion and sediment control devices shall be installed per the design plans and the TDEC Erosion & Sediment Control Handbook.



Shady Glen Subdivision ARAP

Attachment 2: Project Photos



Photo 1: Pre-Project Conditions Holder Branch, Upstream of Holder Lane culvert



Photo 2: Current Conditions
Holder Branch, Upstream of Holder Lane culvert



Photo 3: Pre-Project Conditions Holder Branch, Downstream of Holder Lane culvert



Photo 4: Current Conditions
Holder Branch, Downstream of Holder Lane culvert

Shady C	Glen S	Subd	livis	ion /	ARAP
---------	--------	------	-------	-------	------

Attachment 3: Hydrological Determination Report

HYDROLOGIC DETERMINATION REPORT FOR 12616 NORTHSHORE DRIVE KNOXVILLE, TENNESSEE

Prepared For:

S&E Properties 405 Montbrook Knoxville, Tennessee 37919

Prepared by:



GEOServices, LLC 2561 Willow Point Way Knoxville, Tennessee 37931

September 29, 2014

HYDROLOGIC DETERMINATION REPORT FOR 12616 NORTHSHORE DRIVE KNOXVILLE, TENNESSEE

Prepared For:

S&E Properties 405 Montbrook Knoxville, Tennessee 37919

Prepared by:



GEOServices, LLC 2561 Willow Point Way Knoxville, Tennessee 37931

September 29, 2014



September 29, 2014

S&E Properties 405 Montbrook Knoxville, Tennessee 37919

Attention:

Mr. Eric Moseley

Subject:

Hydrologic Determination

12616 Northshore Drive Knoville, Tennessee

GEOServices Project No. 24-14611

Dear Mr. Moseley:

GEOServices, LLC has completed a Hydrologic Determination for the drainage features located on the approximately 45 acre parcel at 12616 Northshore Drive in Knoxville, Tennessee. Please see our findings in the attached report.

GEOServices appreciates the opportunity to continue providing services to you and looks forward to working with you in the future. If you have any questions, please do not hesitate to contact us at your convenience.

Sincerely,

GEOServices, LLC

Byron L. Barton, P.G.

Environmental Department Manager

Benjamin D. Claxton, CPESC-IT, TN-QHP

Benjamin D. Claxton

Senior Biologist

1.0 INTRODUCTION

GEOServices, LLC (GEOServices) performed a hydrologic determination for the drainage features located on an approximately 45 acre parcel at 12616 Northshore Drive in Knoxville, Tennessee. Figure 1, the site location map shows the approximate site location on the Concord USGS quad. The site visit and hydrologic determination of the feature was conducted on September 22, 2014 by Benjamin Claxton of GEOServices. During this field review, information was gathered regarding the suspected drainage feature. The suspect drainage features were analyzed following the Tennessee Department of Environment and Conservation (TDEC) standard operating procedures for Hydrologic Determinations. Field data sheets completed during the course of the delineation are provided in Appendix I.

2.0 SITE DESCRIPTION

Figure 2 shows the site on an aerial image. The site is bordered to the north by Holder Lane then undeveloped land, to the south by residential area, to the east by undeveloped land, to the south by undeveloped land, and to the west by residential homes.

The site is located on the Concord, Tennessee US Geological Survey 7.5 Minute Topographic Quadrangle and has an approximate elevation range between approximately 925 and 1000 feet above mean sea level (Figure 1).

3.0 SITE INFORMATION

Two drainage features were scored using the Tennessee Department of Environment and Conservation Hydrologic Determination Field Data form v1.4. A blue line was identified on the Concord, Tennessee US Geological Survey 7.5 Minute Topographic Quadrangle. The blue line was determined to be a wet weather conveyance until it reaches the property line at which it was scored a stream. A spring and another channel were observed near the northeast property line and it was scored as a stream.

4.0 ON-SITE FINDINGS

The drainage features observed on site were scored using the Tennessee Department of

Environment and Conservation Hydrologic Determination Field Data form v1.4. The channels both scored as a wet weather conveyance.


The first drainage feature contained none of the primary field indicators to be considered a wet weather conveyance or a stream so the secondary field indicator evaluation was performed. The first feature scored a 16.5 on the Hydrologic Determination Field Data Form, indicating it is a wet weather conveyance. A second data sheet was scored in the first drainage area at the property line where a pool of water was observed. A primary indicator, presence of fish, was noted at this location. The channel is a stream at this point. A second drainage feature and possible spring were observed to the east of the first channel. The second drainage feature contained none of the primary field indicators to be considered a wet weather conveyance or a stream so the secondary field indicator evaluation was performed. The second channel scored a 24.5 on the Hydrologic Determination Field Data Form, indicating it is a stream. See Figure 2 for drainage feature locations.

More information regarding on-site findings of the drainage can be found in the field data forms included in **Appendix 1**.

Photographs taken during the investigation are included in Appendix II.

Figure 1

Location Map



SITE LOCATION MAP 12616 NORTHSHORE DRIVE STREAM DETERMINATION KNOXVILLE, TENNESSEE

JOB NO:

Phone; (865) 539-8242 Fax: (865) 539-8252

2651 Willow Point Way
Knownflle Tendence 17011

9-25-14 CSG BDC

DATE:


CHECKED BY: DRAWN BY:

Site boundary and features shown are approximate only. Drawing composed from field notes and observations only.

24-14611

Figure 2

Site Plan



Drawing composed from field notes and observations only. Site boundary and features shown are approximate only.

Surface runoff direction.

2651 Willow Point Way Knoxville, Temessee 37931 9-25-14 NTS CSG BDC CHECKED BY: DRAWN BY: DATE:

SITE PLAN 12616 NORTHSHORE DRIVE STREAM DETERMINATION KNOXVILLE, TENNESSEE

ON BOC

24-14611

 \mathbb{N}

Appendix I

Field Data Sheets

Hydrologic Determination Field Data Sheet

Tennessee Division of Water Pollution Control, Version 1.4

. Childed Dividion of Water Condition	1, 10101011 11	
County: K wox Named Waterbody:	Date/Time: 9/2	2/14-940
Assessors/Affiliation: B. Claxfon	Project ID:	
Site Name/Description: 12616 Northshore DR		
Site Location:		41 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
USGS quad: Concord HUC (12 digit):	Lat/Long: 35,	82359
		17083
Previous Rainfall (7-days): 0, /6		
Source of recent & seasonal precip data :	dry drough	t unknown
Watershed Size : Photos: Yor N (ci	rcle) Number:	
Soil Type(s) / Geology :		Source:
Surrounding Land Use :		CWMA CONTRACTOR DESIGNATION
Degree of historical alteration to natural channel morphology & hydrology (circ	de one & describ	e fully in Notes):
Severe Moderate Slight	Absent	o rany in troios, i
Primary Field Indicators Observe	ed	
Primary Indicators	NO	YES
Hydrologic feature exists solely due to a process discharge	17	wwc
2. Defined bed and bank absent, dominated by upland vegetation / grass	1/	WWC
 Watercourse dry anytime during February through April 15th, under normal precipitation / groundwater conditions 		wwc
Daily flow and precipitation records showing feature only flows in direct response.	oonse	
to rainfall		wwc
 Presence of multiple populations of obligate lotic organisms with ≥ 2 month aquatic phase 		Stream
6. Presence of fish (except Gambusia)		Stream
7. Presence of naturally occurring ground water table connection		Stream
8. Flowing water in channel and 7 days since last precipitation in local watersh	ied /	Stream
9. Evidence watercourse has been used as a supply of drinking water	1	Stream
NOTE: If any Primary Indicators 1-9 = "Yes", then STOP; absert determination is complete. In the absence of a primary indicator, or other definitive evidence, complete page 2 of this sheet, and provide score below. Guidance for the interpretation and scoring of both the primary & secondary in Guidance For Making Hydrologic Determinations, No.	te the secondary ow. indicators is prov	indicator table on
Overall Hydrologic Determination = WWC		
Secondary Indicator Score (if applicable) = 16.5		
ustification / Notes: Disther Discharge from 1	arge pour	I in
neighborhood upstream appears to p.	rovide 7	he conly
flow in channel	Pr. 1 - W. 1 - 1	
·		

Secondary Field Indicator Evaluation

A. Geomorphology (Subtotal = 13)	Absent	Weak	Moderate	Strong
Continuous bed and bank	0	F	(2)	3
2. Sinuous channel	0	Ō	2	3
In-channel structure: riffle-pool sequences	0	(1)	2	3
Sorting of soil textures or other substrate	0	ð	2	3
Active/relic floodplain	0	6	2	3
Depositional bars or benches	0	(1)	2	3
7. Braided channel	(0)	130	2	3
Recent alluvial deposits	0	(0.5)		1.5
9. Natural levees	0 (5	1	2	3
10. Headcuts	0	0	2	3
11. Grade controls	0	(0.5)	1 1	1,5
12. Natural valley or drainageway	0	(0.9	1	1.5
 At least second order channel on existing USGS or NRCS map 	No :		Yes	= 3

B. Hydrology (Subtotal = λ)	Absent	Weak	Moderate	Strong
14. Subsurface flow/discharge into channel	(0)	. 1	2	3
15. Water in channel and >48 hours since sig. rain	0 65	7 1	2	3
16. Leaf litter in channel (January - September)	1.5	1	(0.5)	0
17. Sediment on plants or on debris	0	(0.5)	1	1.5
18. Organic debris lines or piles (wrack lines)	0	(0.5)	1	1.5
19. Hydric soils in stream bed or sides of channel	(No	= 0)	Yes =	

C. Biology (Subtotal = 1.5)	Absent	Weak	Moderate	Strong
20. Fibrous roots in channel 1	3	2	1 6	0
21. Rooted plants in channel 1	3	2	(1)	0
22. Crayfish in stream (exclude in floodplain)	(d)	0.5	1	1.5
23. Bivalves/mussels	100	1	2	3
24. Amphibians	(6)	0.5	1	1.5
25. Macrobenthos (record type & abundance)	70	1	2	3
26. Filamentous algae; periphyton	70)	1 .	2	3
27. Iron oxidizing bacteria/fungus	700	0.5	1	1.5
28.Wetland plants in channel 2	(8)	0.5	1	2

Focus is on the presence of upland plants. Focus is on the presence of aquatic or wetland plants.

Total Points = 16.5	
Under Normal Conditions, Watercourse is a Wet Weather Conveyance if Secondary Indicator Score < 19 points	
Notes:	
the control of the co	
	586

Hydrologic Determination Field Data Sheet

	rennessee Division of Water	er Pollution Contro	i, versi	on 1.4	
County: Kwox	Named Waterbody	y:	Date/Ti	me: 9/22/	4-1010
	3. Clayfon		Project	ID :	
Site Name/Description:	12616 Northsho	10			
Site Location:	##			· · · · · · · · · · · · · · · · · · ·	
USGS quad: Conc	ovd HUC (12 digit):		Lat/Lon	g: 35.	82499
Previous Rainfall (7-days	s): 0,10"			84.1	6801
Precipitation this Seasor Source of recent & seasonal p		wet average	dry	drought	unknown
Watershed Size :	ecip data .	Photos For N (ci	rcle) Nu	mher ·	
Soil Type(s) / Geology :			,		ırce:
Surrounding Land Use:	**************************************				iice.
Degree of historical alte	ration to natural channel morpho	ology & hydrology (circ	le one &	describe f	ully in Notes):
Severe	Moderate	8tight)		Absent	
	Primary Field In	dicators Observe	d		
Primary Indicators	N			NO	YES
	ists solely due to a process disch	narge		7	WWC
2. Defined bed and bank	absent, dominated by upland v	egetation / grass			WWC
Watercourse dry anytime during February through April 15th, under normal precipitation / groundwater conditions					wwc
Daily flow and precipitation records showing feature only flows in direct response to rainfall				1	WWC
Presence of multiple paquatic phase	populations of obligate lotic organ	nisms with ≥ 2 month		1	Stream
6. Presence of fish (exce	ept Gambusia)				(Stream)
7. Presence of naturally	occurring ground water table cor	nnection			Stream
Flowing water in chan	nel and 7 days since last precipi	tation in local watersh	ed		Stream
Evidence watercourse	has been used as a supply of d	rinking water			Stream
In the absence of a p	Primary Indicators 1-9 = "Yes determine or other definition page 2 of this sheet, a retation and scoring of both the page Guidance For Making Hydrological primary indicators and scoring of both the page 1 of the page 2 of this sheet, a retation and scoring of both the page 2 of this sheet, a retation and scoring of both the page 3 of th	ive evidence, complete and provide score belo primary & secondary is	e the secow.	condary ind	licator table on
Overall Hydrologic [Determination = Street	am		Here william and the	
Secondary Indicator Sco	ore (if applicable) = P()	4			
at property	Sunfish obser	ved in p	00/	at c	wheat
	7				
Tent in the same of the same					

Secondary Field Indicator Evaluation

A. Geomorphology (Subtotal =)	Absent	Weak	Moderate	Strong
Continuous bed and bank	0	1	2	3
Sinuous channel	0	1	2	3
In-channel structure: riffle-pool sequences	0	1	2	3
Sorting of soil textures or other substrate	0	1	2	3
Active/relic floodplain	0	1	2	3
Depositional bars or benches	0	1	2	3
7. Braided channel	0	1	2	3
Recent alluvial deposits	0	0.5	1 1	1.5
Natural levees	0	1	2	3
10. Headcuts	0	-	2	3
11. Grade controls	0	0.5	4	1.5
12. Natural valley or drainageway	0	0.5	1	1.5
 At least second order channel on existing USGS or NRCS map 	No =		Yes:	

B. Hydrology (Subtotal =)	Absent	Weak	Moderate	Strong
14. Subsurface flow/discharge into channel	0	1	2	3
15. Water in channel and >48 hours since sig. rain	0	1	2	3
16. Leaf litter in channel (January - September)	1.5	1	0.5	
17. Sediment on plants or on debris	0	0.5	1	1.5
18. Organic debris lines or piles (wrack lines)	0	0.5	-	1.5
19. Hydric soils in stream bed or sides of channel	No:		Yes =	

C. Biology (Subtotal =)	Absent	Weak	Moderate	Strong
20. Fibrous roots in channel 1	3	2	1	O
21. Rooted plants in channel 1	3	2	1-1	
22. Crayfish in stream (exclude in floodplain)	0	0.5	1 1	1.5
23. Bivalves/mussels	0	1	1 2	3
24. Amphibians	0	0.5	1 1	1.5
25. Macrobenthos (record type & abundance)	0	1		2
26. Filamentous algae; periphyton	1 0		2	- 3
27. Iron oxidizing bacteria/fungus	0	0.5	1	1.5
28.Wetland plants in channel 2		0.5		1.5

Focus is on the presence of upland plants. Focus is on the presence of aquatic or wetland plants.

Total Points =
Under Normal Conditions, Watercourse is a Wet Weather Conveyance if Secondary Indicator Score < 19 points

otes :			
•2			
	 	· · · · · · · · · · · · · · · · · · ·	
			Harris A. Maria C.
	the same transfer of the same		

Hydrologic Determination Field Data Sheet

Tennessee Division of Water Pollution Control, Version 1.4

County: Kn0x Named Waterbody:		Date/Ti	me: 9/22/	14-1030
			ID:	., ,,,,,,
Site Name/Description: 12616 Norths hore	OR			
Site Location:	DIC			
USGS quad: Concord HUC (12 digit):	W- 95- 101 19h	Lat/Lon	g: 35.80	2479
Previous Rainfall (7-days): 0,10"			-84,16811	
	et average	dry	drought	unknown
Source of recent & seasonal precip data :	et average	ury	ulougiit	UNKNOWN
Watershed Size :	Photos: Oor N (c	ircle) Nu	mber :	77 - (0)
Soil Type(s) / Geology :			Sou	rce:
Surrounding Land Use: PASTURE / WOODS /	RESIDENTIA	τ_		
Degree of historical alteration to natural channel morphole	ogy & hydrology (cir	cle one &	describe fu	ully in Notes):
Severe Moderate	(Slight)		Absent	
Primary Field Ind	licators Observe	ed		
Primary Indicators			NO	YES
 Hydrologic feature exists solely due to a process discharge. 			1	wwc
2. Defined bed and bank absent, dominated by upland ve	getation / grass			WWC
Watercourse dry anytime during February through Apri precipitation / groundwater conditions	il 15th, under norma	1		wwc
Daily flow and precipitation records showing feature on	ly flows in direct resu	nonee	_/_	
to rainfall			/	wwc
5. Presence of multiple populations of obligate lotic organi	isms with ≥ 2 month		/	Stream
aquatic phase 6. Presence of fish (except Gambusia)		-11	1	
Presence of naturally occurring ground water table con-	nection		1	Stream Stream
8. Flowing water in channel and 7 days since last precipite	ation in local watersh	ed	/	Stream
9. Evidence watercourse has been used as a supply of dri	inking water			Stream
NOTE: If any Primary Indicators 1-9 = "Yes" determina In the absence of a primary indicator, or other definitive page 2 of this sheet, are Guidance for the interpretation and scoring of both the primary Guidance For Making Hydrological Primary Indicators 1-9 = "Yes" determination and the second	e evidence, completed evidence, completed evidence, completed evidence belonery in mary & secondary in the complete.	te the secow.	condary ind	icator table on
Overall Hydrologic Determination = Stream	m.			
Secondary Indicator Score (if applicable) = 74.5				
ustification / Notes: Channel Howey	out of	· w	hat ap	pearo
Do be a spring.	U			
and the second s	- Stoling Silverini Seeki			
				

A. Geomorphology (Subtotal = 13. ≸	Absent	Weak	Moderate	Strong
Continuous bed and bank	0	1	0	3
Sinuous channel	0	(D)	2	3
In-channel structure: riffle-pool sequences	0	(A)	2	
Sorting of soil textures or other substrate	0	(n)	2	3
Active/relic floodplain	0	<u> </u>	-	
Depositional bars or benches	0	4	(2)	3
7. Braided channel	0	<u> </u>	2	3
Recent alluvial deposits	0	0.5	-	3
9. Natural levees	0	0.5	- W	1.5
10. Headcuts	0			3
11. Grade controls	0		2	3
12. Natural valley or drainageway	0	0.5	CD	1.5
13. At least second order channel on existing USGS or NRCS map	No =	<u>(0.5)</u>	1 Yes =	<u>1.5</u> = 3

B. Hydrology (Subtotal = 6)	Absent	Weak	Moderate	Strong
14. Subsurface flow/discharge into channel.	0	(1)	2	oliolig
15. Water in channel and >48 hours since sig rain	0	1	2	(3)
16. Leaf litter in channel (January – September)	1.5	(1)	0.5	
17. Sediment on plants or on debris	0	(0.5)	1	1.5
18. Organic debris lines or piles (wrack lines)	0	(0.5)	1 1	1.5
19. Hydric soils in stream bed or sides of channel	(No:		Yes =	

C. Biology (Subtotal = 5)	Absent	Weak	Moderate	Strong
20. Fibrous roots in channel 1	3	(2)	1	0
21. Rooted plants in channel 1	3	2	6	
22. Crayfish in stream (exclude in floodplain)	T &	0.5	U	0
23. Bivalves/mussels		0.5		1.5
24. Amphibians		7	2	3
25. Macrobenthos (record type & abundance)		0.5	1 1	1.5
26. Filamentous algae; periphyton		7	2	3
27. Iron oxidizing bacteria/fungus		<i>a</i>	2	3
28.Wetland plants in channel ²	Θ	0.5	1 1	1.5
	the presence of aq	0.5	(p)	2

Total Points = <u>24.5</u>

Under Normal Conditions, Watercourse is a Wet Weather Conveyance if Secondary Indicator Score < 19 points

Notes :		
<i>I</i>		
A 377		

Appendix II

Photographs



Photograph 1: Outflow pipe from large residential area pond.



Photograph 2: Photo of wwc looking down gradient.



Photograph 3: Photo of wwc, looking up gradient.



Photograph 4: Photo of stream at property line, looking down gradient.



Photograph 5: Photo of spring, looking up gradient.



Photograph 6: Photo of stream at below spring, looking up gradient.

Attachment 4: Technical Information

